



Page no.	Error	Correction
Title: SoMHIL and OJPAS™: “like a rolling stone”		
1	Lower And Middle Income Countries (LAMIC)	Low And Middle Income Countries (LAMIC)
1	This seven years have been a roller coaster ride.	These seven years have been a roller coaster ride.
Title: About some difficulties in the epidemiological studies of autism		
3	It takes into consideration the age of at which first symptoms first appeared and the family environment.	It takes into consideration the age at which symptoms first appeared and the family environment.
4	Slight modifications can take place on any one observation point without being truly significant.	Slight modifications can take place on any one observation point without being truly significant .
Title: Children of persons with alcohol dependence syndrome: risks and resilience, theories and interventions		
7	Consequences of their actions and the responses of people reinforce and modify children behaviours.	Consequences of their actions and the responses of people reinforce and modify their behaviours.
7	Social influence programme anticipates these pressures and equip children with skills to resist them in prior to they are exposed.	Social influence programme anticipates these pressures and equip children with skills to resist them in prior to their exposure .
9	Comprehensive community programmes which focus social norms with regard to substance use are another important underutilised area.	Comprehensive community programmes which focus on social norms with regard to substance use are another important underutilised area.
Title: Fundamental concepts of phenomenology and descriptive psychopathology		
11	An old saying, beauty lies in the eye of the beholden.	As per an old saying, beauty lies in the eye of the beholder .
Title: Fundamental concepts of phenomenology and descriptive psychopathology		
13	Empathy is an important psychiatric term that literally means ‘filling oneself into’ and emphasises the imaginative experiencing of another person’s world. It is important to distinguish it from sympathy, which is ‘filling along with’.	Empathy is an important psychiatric term that literally means ‘ feeling oneself into’ and emphasises the imaginative experiencing of another person’s world. It is important to distinguish it from sympathy, which is ‘ feeling along with’.
13	Truly, the patient and his complains deserve our scrupulous attention.	Truly, the patient and his complaints deserve our scrupulous attention.
13	Patients are the best teachers, but it is necessary to know what one are looking for.	Patients are the best teachers, but it is necessary to know what one is looking for.
14	Leveling in psychiatry	Labelling in psychiatry
14	Leveling a person with a major psychosis (e.g., schizophrenia), must be done with utmost caution as because it may be a lifetime diagnosis.	Labelling a person with a major psychosis (e.g. schizophrenia), must be done with utmost caution as because it may be a lifetime diagnosis.
14	Let us learn to earn the knowledge of human behaviour in a batter way so that we can put our wisdom to release the unfortunate ‘prisoners of their own mind’	Let us learn to earn the knowledge of human behaviour in a better way so that we can put our wisdom to release the unfortunate ‘prisoners of their own mind’
Title: Practice of family therapy in a heteronormative society of India from queer theory perspective		
17	Even with the additional lenses, trainees of family therapy get to known models that unquestionably lay emphasis on specific kind of family structure which are heteronormative.	Even with the additional lenses, trainees of family therapy get to know models that unquestionably lay emphasis on specific kind of family structure which are heteronormative.
Title: Impact of duration of psychiatry rotation on medical interns’ attitude towards psychiatry		
20	Table: Psychiatric hospitals little more than prisons.	Psychiatric hospitals are little more than prisons.
Title: Adverse drug reactions of atypical antipsychotics		
26	As per Hertwig’s adverse drug severity scale 108 events were assessed as mild followed by 58 events that were assessed as moderate.	As per Hartwig’s adverse drug severity scale 108 events were assessed as mild followed by 58 events that were assessed as moderate.

Title: Study of prevalence of depression and impact of depression in patients following acute myocardial infarction

- | | | |
|----|--|---|
| 30 | The scale was designed to allow patients report of the and severity of depressive symptoms for the week prior to the date of assessment. | The scale was designed to allow patients to report the types and severity of depressive symptoms for the week prior to the date of assessment. |
| 30 | Amongst the male and female patients total 36% was depressed and the mean score on BDI was 15.11 | Amongst the male and female patients total 36% were depressed and the mean score on BDI was 15.11 |

Title: An observational study towards a newer classification in child psychiatry

- | | | |
|----|--|--|
| 38 | (11.4% than girls 7.6 per cent) | (11.4% than girls 7.6%) |
| 38 | A study of youth age seven to 14 in south-eastern Brazil | A study of youth aged seven to 14 in south-eastern Brazil |

Title: Assessment of the effectiveness of yoga therapy as an adjunct in patients with alcohol dependence syndrome

- | | | |
|----|---|--|
| 40 | International Classification of Diseases and Related Health Problems (ICD-10) | International Statistical Classification of Diseases and Related Health Problems (ICD-10) |
| 41 | Patients diagnosed as alcohol dependent syndrome as per ICD-10 criteria | Patients diagnosed as alcohol dependence syndrome as per ICD-10 criteria |

Title: Marital quality in wives of persons with alcohol dependence syndrome

- | | | |
|----|---|--|
| 56 | The quality of the wives of spouse with alcohol dependence problem can be greatly improved and quality of the marital adjustment can be healthy by the intelligent use of various ways to handle the core problems which lead to the marital maladjustment. | The quality of the lives of spouse with alcohol dependence problem can be greatly improved and quality of the marital adjustment can be healthy by the intelligent use of various ways to handle the core problems which lead to the marital maladjustment. |
|----|---|--|

Title: A comparative study on distressful events in affective disorder and normal control

- | | | |
|----|--|--|
| 59 | Clinical group have higher score in the domains of bereavement, education, family & social (manic), financial, health, legal (depressive), marital & sexual, and work of PSLES compared to normal control. | Clinical group has higher score in the domains of bereavement, education, family & social (manic), financial, health, legal (depressive), marital & sexual, and work of PSLES compared to normal control. |
| 60 | In the study, significant difference was found in clinical as well as in between mania and depression also. | In the study, significant difference was found in clinical group as well as in between mania and depression. |

Title: Assessment of expressed emotion in family members of patients with schizophrenia in a selected Medical College Hospital, Assam

- | | | |
|----|--|---|
| 64 | Table 2 : cost of medicine per month: 100-500, frequency: 4 | Table 2 : cost of medicine per month: 100-500, frequency: 42 |
| 66 | A pervious study also reported that the caregivers having low EE had higher overall acceptance | A previous study also reported that the caregivers having low EE had higher overall acceptance |

Title: Anxiety, depression, and quality of life in mothers of children with intellectual disability

- | | | |
|----|--|--|
| 72 | Mothers of children with ID decreased the QOL in all the four domains of physical, psychological, social relationship, and environment. | Mothers of children with ID had decreased QOL in all the four domains of physical, psychological, social relationship, and environment. |
| 74 | Kazmi <i>et al.</i> [25] reported that mother of disabled children were having more depression and low QOL in comparison of father of disabled children. | Kazmi <i>et al.</i> [25] reported that mother of disabled children were having more depression and low QOL in comparison to fathers of disabled children. |

Title: Acute dystonia with concomitant use of amitriptyline and paroxetine

- | | | |
|----|---|--|
| 84 | Here we report a case of 32 years old women who developed dystonia as a result of combined usage of paroxetine and amitriptyline. | Here we report a case of 32 years old woman who developed dystonia as a result of combined usage of paroxetine and amitriptyline. |
|----|---|--|

Title: A case study of alcohol dependence syndrome with poor motivation and coping skills: the psychosocial perspective

- | | | |
|----|---|---|
| 87 | Alcoholism constitutes a vast syndrome of medical, economics, psychological, and social problems. | Alcoholism constitutes a vast syndrome of medical, economical , psychological, and social problems. |
| 88 | Since the last three months, clients reported of decreased sleep, tremor, weakness, and restlessness. | Since the last three months, client reported of decreased sleep, tremor, weakness, and restlessness. |
| 88 | Family dynamic | Family dynamics |
| 88 | The nominal and functional of the family was client's father. | The nominal and functional head of the family was client's father. |
| 88 | Client's siblings came to help his family whenever the need arise or at the time of crisis. | Client's siblings came to help his family whenever the need arose or at the time of crisis. |

89	Each session for 45 minutes once in a week.	Each session lasted for 45 minutes once a week .
89	helping him changing his lifestyle	helping him to change his lifestyle
Title: A case report of schizophrenia with severe disability: the eclectic family therapy approach		
93	The family rituals were performed regularly in spite of the patient's illness but taking her out to family functioning was absent.	The family rituals were performed regularly in spite of the patient's illness but taking her out to family functions was absent.
92	The client's mother was instrumental in managing the client and she did most of the basic needs for the client.	The client's mother was instrumental in managing the client and she met most of the basic needs of the client.
95	Her behavioural excesses were identified as spending too much time alone – withdrawn and isolated, had difficulty in getting sleep, fatigued most of the time, fantasised strange thoughts, and had hallucinatory with deprecatory content.	Her behavioural excesses were identified as spending too much time alone – withdrawn and isolated, had difficulty in getting sleep, fatigued most of the time, fantasised strange thoughts, and had hallucinations with deprecatory content.
95	helping the client to calm down and identify his emotional exacerbation by himself and then asking non-offending questions;	helping the client to calm down and identify her emotional exacerbation by herself and then asking non-offending questions;
96	Parents were guided to realise that primary social support is very important for the client at this stage and her parents needed to encourage the client to identify relatives, friends, and community resources that could provide support to her.	Parents were guided to realise that secondary social support is very important for the client at this stage and they needed to encourage the client to identify relatives, friends, and community resources that could provide support to her.
Title: ERRATA		
101	The errata is of the Open Journal of Psychiatry & Allied Sciences; July-December 2016 Volume 7 Issue 2	

The errors are regretted.

- Editor,

Open Journal of Psychiatry & Allied Sciences (OJPAS®)